

## OCEAN GUARD MOORING BUOYS

BUOY MODEL	BUOYANCY NET		BUOY WEIGHT		DIAMETER OVERALL		HEIGHT BUOY BODY		HEIGHT OVERALL		WORKING LOAD	
	LBS	KG	LBS	KG	FT	M	FT	M	FT	M	LBS	TONS
MB-25	5,512	2,500	1,756	797	6.1	1.9	3.6	1.1	7.6	2.3	100,000	45
MB-35	7,716	3,500	2,340	1,061	7.0	2.1	4.3	1.3	8.5	2.6	150,000	68
MB-50	11,023	5,000	2,371	1,075	7.5	2.3	4.9	1.5	8.6	2.6	150,000	68
MB-70	15,432	7,000	2,938	1,333	8.5	2.6	5.0	1.5	8.6	2.6	200,000	91
MB-90	19,842	9,000	4,657	2,112	10	3.0	5	1.5	8.6	2.6	200,000	91
MB-115	25,353	11,500	5,109	2,317	10	3.0	6.1	1.9	9.5	2.9	200,000	91
MB-135	29,762	13,500	6,017	2,729	10.5	3.2	6.5	2.0	10.0	3.0	300,000	136
MB-160	35,274	16,000	6,333	2,873	11	3.4	6.8	2.1	11.75	3.6	300,000	136
MB-185	40,785	18,500	6,836	3,101	11.1	3.4	7.8	2.4	12.7	3.9	300,000	136
MB-225	49,604	22,500	8,491	3,852	12.0	3.7	8.1	2.5	12.9	3.9	300,000	136
MB-250	55,116	25,000	9,469	4,295	12.5	3.8	8.3	2.5	13.1	4.0	300,000	136
MB-275	60,627	27,500	9,965	4,520	12.6	3.8	8.9	2.7	13.7	4.2	300,000	136
MB-340	74,957	34,000	11,841	5,371	13.83	4.2	9	2.7	13.8	4.2	300,000	136
MB-455	100,310	45,500	14,599	6,622	15	4.6	10	3.0	14.8	4.5	300,000	136

\* Actual values for above sizes may vary +/- 15% due to variations in materials and tolerances.



## OCEAN GUARD SUPPORT BUOYS

BUOY MODEL	BUOYANCY NET		BUOY WEIGHT		DIAMETER OVERALL		HEIGHT OVERALL		WORKING LOAD	
	LBS	KG	LBS	KG	FT	M	FT	M	LBS	TONS
SB-25	551	250	158	72	2.6	0.8	2.6	0.8	22,000	10
SB-50	1,102	500	285	129	3.2	1.0	3.2	1.0	22,000	10
SB-75	1,653	750	390	177	3.5	1.1	3.5	1.1	22,000	10
SB-100	2,205	1,000	475	215	3.8	1.2	3.8	1.2	40,000	18
SB-125	2,756	1,250	537	244	4.1	1.2	4.1	1.2	40,000	18
SB-150	3,307	1,500	584	265	4.3	1.3	4.3	1.3	40,000	18
SB-175	3,858	1,750	687	312	4.6	1.4	4.6	1.4	40,000	18
SB-200	4,409	2,000	819	371	4.8	1.5	4.8	1.5	40,000	18
SB-250	5,511	2,500	931	422	5.2	1.6	5.2	1.6	40,000	18
SB-300	6,614	3,000	1,200	544	5.5	1.7	5.5	1.7	45,000	20
SB-350	7,716	3,500	1,300	590	5.8	1.8	5.8	1.8	45,000	20
SB-400	8,818	4,000	1,612	731	6.0	1.8	6.0	1.8	45,000	20
SB-450	9,921	4,500	1,712	777	6.2	1.9	6.2	1.9	45,000	20
SB-500	11,023	5,000	1,945	882	6.4	2.0	6.4	2.0	45,000	20
SB-600	13,228	6,000	2,302	1,044	6.8	2.1	6.8	2.1	45,000	20
SB-700	15,432	7,000	2,500	1,134	7.2	2.2	7.2	2.2	45,000	20

\* Actual values for above sizes may vary +/- 15% due to variations in materials and tolerances.



## OCEAN GUARD UTILITY CYLINDRICAL BUOYS

BUOY MODEL	BUOYANCY NET		BUOY WEIGHT		DIAMETER OVERALL		BUOY HEIGHT		HEIGHT OVERALL		WORKING LOAD	
	LBS	KG	LBS	KG	FT	M	FT	M	FT	M	LBS	TONS
CB-5	110	50	55	25	1.3	0.4	2	0.6	2.8	0.9	5,000	2.3
CB-10	220	100	79	36	1.5	0.5	2.8	0.8	3.6	1.1	5,000	2.3
CB-15	331	150	93	42	1.7	0.5	3.0	0.9	3.8	1.2	5,000	2.3
CB-25	551	250	160	73	2.2	0.7	3.1	0.9	4.0	1.2	7,500	3.4
CB-45	992	450	222	101	2.5	0.8	4.0	1.2	5.1	1.5	10,000	4.5
CB-70	1,543	700	340	154	3.0	0.9	4.2	1.3	5.3	1.6	10,000	4.5
CB-100	2,205	1,000	439	199	3.3	1.0	5	1.5	6.33	1.9	20,000	9.1
CB-115	2,535	1,150	539	244	3.5	1.1	5.0	1.5	6.3	1.9	20,000	9.1
CB-140	3,086	1,400	606	275	3.5	1.1	6.0	1.8	7.3	2.2	20,000	9.1
CB-180	3,968	1,800	704	319	4.0	1.2	5.8	1.8	7.4	2.3	40,000	18.0
CB-230	5,071	2,300	868	394	4.5	1.4	5.9	1.8	7.5	2.3	40,000	18.0
CB-275	6,063	2,750	973	441	4.5	1.4	7.0	2.1	8.6	2.6	40,000	18.0

\* Actual values for above sizes may vary +/- 15% due to variations in materials and tolerances.

