


REGULAR WOOD SINGLE SHEAVE BLOCK



NO FITTING (NF)



SHACKLE (S)



SWIVEL HOOK (SH)



FIXED HOOK (H)

MODEL NO.	WLL LBS	ROPE ØR	DIMENSIONS (MM)						WEIGHT (LBS)			
									S	SH	H	NF
			A	B	C	D	ØE	F	SHACKLE	SWIVEL HOOK	FIXED HOOK	NO FITTING
SL101B-3	500	3/8	2.3	3.7	6.1	0.6	1.75	1.9	1.2	1.2	1.2	1
SL101B-4	1000	1/2	2.8	4.6	7.5	0.7	2.25	2.2	2.3	2.3	2.3	1.5
SL101B-5	1200	5/8	3.5	5.7	9.2	1.0	3.0	3.1	4	4	4	3
SL101B-6	1800	3/4	4.1	6.9	10.5	1.1	3.5	3.1	5	5	5	4
SL101B-8	2800	7/8 - 1	5.2	8.1	12.7	1.3	4.75	3.8	13	13	13	11
SL101B-10	4000	1 1/8	6.6	10.8	16.0	1.5	6.0	4.0	18	18	18	12
SL101B-12	5000	1 1/4	8.5	12.8	19.3	1.7	8.0	4.7	30	30	30	23

- Blocks built to 4:1 Design Factor
- Blocks made with Sheave bronze bushings to SAE40 specifications
- All accessories are forged
- Blocks made with Santa Maria Hardwood, which has properties that are favorable for use in wood shell blocks
- Dimensions shown represent current models and are subject to change
- Blocks shown are standard models
- Custom models available upon request


See our warnings & application instructions

SEALINK
Quality Rigging Products

REGULAR WOOD DOUBLE SHEAVE BLOCK



NO FITTING (NF)



SHACKLE (S)



SWIVEL HOOK (SH)



FIXED HOOK (H)

MODEL NO.	WLL LBS	ROPE ØR	DIMENSIONS (MM)						WEIGHT (LBS)			
									S	SH	H	NF
			A	B	C	D	ØE	F	SHACKLE	SWIVEL HOOK	FIXED HOOK	NO FITTING
SL102B-3	800	3/8	2.3	3.7	6.1	0.7	1.75	3.0	1.9	1.9	1.9	1.6
SL102B-4	1400	1/2	2.8	4.6	7.4	0.8	2.25	3.6	3.5	3.5	3.5	2.8
SL102B-5	1800	5/8	3.5	5.7	9.4	1.0	3.0	4.8	6.5	6.5	6.5	5
SL102B-6	2500	3/4	4.1	6.9	10.6	1.0	3.5	5.0	8	8	8	7
SL102B-8	3800	7/8 - 1	5.2	8.1	13.5	1.2	4.75	6.1	16	16	16	14
SL102B-10	6000	1 1/8	6.6	10.8	16.4	1.7	6.0	6.6	27	27	27	22
SL102B-12	8000	1 1/4	8.5	12.8	20.4	2.0	8.0	7.9	49	49	49	42


- Blocks built to 4:1 Design Factor
 - Blocks made with Sheave bronze bushings to SAE40 specifications
 - All accessories are forged
 - Blocks made with Santa Maria Hardwood, which has properties that are favorable for use in wood shell blocks
 - Dimensions shown represent current models and are subject to change
 - Blocks shown are standard models
 - Custom models available upon request
- See our warnings & application instructions

SEALINK
Quality Rigging Products

REGULAR WOOD TRIPLE SHEAVE BLOCK



NO FITTING (NF)



SHACKLE (S)



SWIVEL HOOK (SH)



FIXED HOOK (H)

MODEL NO.	WLL LBS	ROPE ØR	DIMENSIONS (MM)						WEIGHT (LBS)			
									S	SH	H	NF
			A	B	C	D	ØE	F	SHACKLE	SWIVEL HOOK	FIXED HOOK	NO FITTING
SL103B-3	1200	3/8	2.3	3.7	6.1	0.7	1.75	4.2	2.3	2.3	2.3	2.0
SL103B-4	1800	1/2	2.8	4.6	7.6	0.8	2.25	5.0	4	4	4	3.4
SL103B-5	2400	5/8	3.5	5.7	9.4	1.0	3.0	6.6	8	8	8	6.6
SL103B-6	3200	3/4	4.1	6.9	11.0	1.3	3.5	7.0	10	10	10	9
SL103B-8	4800	7/8 - 1	5.2	8.1	13.0	1.4	4.75	8.3	20	20	20	18
SL103B-10	8000	1 1/8	6.6	10.8	16.3	1.6	6.0	9.1	34	34	34	29
SL103B-12	10000	1 1/4	8.5	12.8	20.2	1.9	8.0	11.7	63	63	63	56


- Blocks built to 4:1 Design Factor
 - Blocks made with Sheave bronze bushings to SAE40 specifications
 - All accessories are forged
 - Blocks made with Santa Maria Hardwood, which has properties that are favorable for use in wood shell blocks
 - Dimensions shown represent current models and are subject to change
 - Blocks shown are standard models
 - Custom models available upon request
- See our warnings & application instructions

SEALINK
Quality Rigging Products

EXTRA HEAVY WOOD SHELL SINGLE BLOCK



NO FITTING (NF)



SHACKLE (S)



SWIVEL HOOK (SH)



FIXED HOOK (H)

MODEL NO.	WLL LBS	ROPE ØR	DIMENSIONS (MM)						WEIGHT (LBS)			
									S	SH	H	NF
			A	B	C	D	ØE	F	SHACKLE	SWIVEL HOOK	FIXED HOOK	NO FITTING
SL201B-6	2000	3/4	4.1	6.9	10.4	1.3	3.5	3.7	5.5	5.5	5.5	4
SL201B-8	3300	1 1/8	5.3	8.7	13.8	1.5	4.75	4.2	13	13	13	10
SL201B-10	5000	1 1/4	6.6	10.8	16.6	1.7	6.0	4.4	22	22	22	17
SL201B-12	6800	1 1/2	8.5	12.8	21.0	1.9	8.0	5.2	37	37	37	28
SL201B-14	9600	1 3/4	10.2	16.3	25.6	2.2	9.5	5.8	59	59	59	46
SL201B-16	12000	2	11.7	18.7	29.6	2.7	11.0	6.7	82	82	82	65

- Blocks built to 4:1 Design Factor.
- Blocks made with Bronze Bushed sheaves to SAE40 specifications.
- Available with self-lubricating graphite bronze sheave bushing per ASTM B438.
- All accessories are forged.
- Blocks made with Santa Maria Hardwood, which has properties that are favorable for use in wood shell blocks.
- Dimensions shown represent current models and are subject to change.
- Blocks shown here are standard models.
- Custom models available upon request.


See our warnings & application instructions

SEALINK
Quality Rigging Products

EXTRA HEAVY WOOD SHELL DOUBLE BLOCK



NO FITTING (NF)



SHACKLE (S)



SWIVEL HOOK (SH)



FIXED HOOK (H)

MODEL NO.	WLL LBS	ROPE ØR	DIMENSIONS (MM)						WEIGHT (LBS)			
									S	SH	H	NF
			A	B	C	D	ØE	F	SHACKLE	SWIVEL HOOK	FIXED HOOK	NO FITTING
SL202B-6	3300	3/4	4.1	6.9	10.7	1.0	3.5	5.8	8	8	8	7
SL202B-8	5100	1 1/8	5.3	8.7	14.8	1.5	4.75	6.8	20	20	20	17
SL202B-10	7700	1 1/4	6.6	10.8	16.6	1.7	6.0	7.4	34	34	34	29
SL202B-12	10600	1 1/2	8.5	12.8	21.0	2.0	8.0	8.4	59	59	59	49
SL202B-14	15000	1 3/4	10.2	16.3	25.6	2.2	9.5	9.4	96	96	96	84
SL202B-16	19000	2	11.7	18.7	30.1	2.2	11.0	11.2	132	132	132	114


- Blocks built to 4:1 Design Factor.
 - Blocks made with Bronze Bushed sheaves to SAE40 specifications.
 - Available with self-lubricating graphite bronze sheave bushing per ASTM B438.
 - All accessories are forged.
 - Blocks made with Santa Maria Hardwood, which has properties that are favorable for use in wood shell blocks.
 - Dimensions shown represent current models and are subject to change.
 - Blocks shown here are standard models.
 - Custom models available upon request.
- See our warnings & application instructions**

SEALINK
Quality Rigging Products

EXTRA HEAVY WOOD SHELL TRIPLE BLOCK



NO FITTING (NF)



SHACKLE (S)



SWIVEL HOOK (SH)



FIXED HOOK (H)

MODEL NO.	WLL LBS	ROPE ØR	DIMENSIONS (MM)						WEIGHT (LBS)			
									S	SH	H	NF
			A	B	C	D	ØE	F	SHACKLE	SWIVEL HOOK	FIXED HOOK	NO FITTING
SL203B-6	4000	3/4	4.1	6.9	10.7	1.3	3.5	8.0	11	11	11	9
SL203B-8	7000	1 1/8	5.3	8.7	14.8	1.3	4.75	9.3	25	25	25	22
SL203B-10	10000	1 1/4	6.6	10.8	16.6	1.7	6.0	10.3	43	43	43	37
SL203B-12	14000	1 1/2	8.5	12.8	20.7	2.0	8.0	11.7	73	73	73	63
SL203B-14	20000	1 3/4	10.2	16.3	25.6	2.2	9.5	13.1	114	114	114	102
SL203B-16	24000	2	11.7	18.7	30.1	2.7	11.0	15.7	166	166	166	149

- Blocks built to 4:1 Design Factor.
- Blocks made with Bronze Bushed sheaves to SAE40 specifications.
- Available with self-lubricating graphite bronze sheave bushing per ASTM B438.
- All accessories are forged.
- Blocks made with Santa Maria Hardwood, which has properties that are favorable for use in wood shell blocks.
- Dimensions shown represent current models and are subject to change.
- Blocks shown here are standard models.
- Custom models available upon request.


See our warnings & application instructions

SEALINK
Quality Rigging Products

EXTRA HEAVY NON-TOPPLING WOOD SHELL BLOCK SINGLE



NO FITTING (NF)
NO BECKET (NB)



SHACKLE (S)
NO BECKET (NB)



SHACKLE (S)

MODEL NO.	WLL LBS	ROPE ØR	DIMENSIONS (MM)							WEIGHT (LBS)	
										NF	S
			A	B	C	D	ØE	F	SHACKLE	NO FITTING	SHACKLE
SL201B-8 NT	3300	1 1/8	9.1	8.6	11.3	1.3	4.8	3.8	7/8	10	13
SL201B-10 NT	5000	1 1/4	11.8	8.7	14.8	1.3	4.75	9.3	1	18	23
SL201B-12 NT	6800	1 1/2	6.6	10.8	16.6	1.7	6.0	10.3	1 1/8	36	44

- Blocks built to 4:1 Design Factor.
- Blocks made with Bronze Bushed sheaves to SAE40 specifications.
- Available with self-lubricating graphite bronze sheave bushing per ASTM B438.
- All accessories are forged.
- Blocks made with Santa Maria Hardwood, which has properties that are favorable for use in wood shell blocks.
- Dimensions shown represent current models and are subject to change.
- Blocks shown here are standard models.
- Custom models available upon request.


See our warnings & application instructions

SEALINK
Quality Rigging Products

EXTRA HEAVY NON-TOPPLING WOOD SHELL BLOCK DOUBLE



NO FITTING (NF)
NO BECKET (NB)



SHACKLE (S)
NO BECKET (NB)



SHACKLE (S)

MODEL NO.	WLL LBS	ROPE ØR	DIMENSIONS (MM)							WEIGHT (LBS)	
										NF	S
			A	B	C	D	ØE	F	SHACKLE	NO FITTING	SHACKLE
SL202B-8 NT	5100	1 1/8	9.1	8.6	11.6	1.5	4.8	6.1	7/8	17	21
SL202B-10 NT	7700	1 1/4	11.8	11.2	15.2	1.6	6.3	7.2	1	33	39
SL202B-12 NT	10600	1 1/2	15.4	14.4	19.5	1.7	8.0	8.4	1 1/8	64	70

- Blocks built to 4:1 Design Factor.
- Blocks made with Bronze Bushed sheaves to SAE40 specifications.
- Available with self-lubricating graphite bronze sheave bushing per ASTM B438.
- All accessories are forged.
- Blocks made with Santa Maria Hardwood, which has properties that are favorable for use in wood shell blocks.
- Dimensions shown represent current models and are subject to change.
- Blocks shown here are standard models.
- Custom models available upon request.


See our warnings & application instructions

SEALINK
Quality Rigging Products

EXTRA HEAVY NON-TOPPLING WOOD SHELL BLOCK TRIPLE



NO FITTING (NF)
NO BECKET (NB)



SHACKLE (S)
NO BECKET (NB)



SHACKLE (S)

MODEL NO.	WLL LBS	ROPE ØR	DIMENSIONS (MM)							WEIGHT (LBS)	
										NF	S
			A	B	C	D	ØE	F	SHACKLE	NO FITTING	SHACKLE
SL203B-8 NT	7000	1 1/8	9.1	8.6	11.6	1.5	4.8	8.3	7/8	22	26
SL203B-10 NT	10000	1 1/4	11.8	11.2	15.2	1.7	6.3	10.0	1	44	48
SL203B-12 NT	14000	1 1/2	15.4	14.4	19.5	1.9	8.0	11.7	1 1/8	80	88

- Blocks built to 4:1 Design Factor.
- Blocks made with Bronze Bushed sheaves to SAE40 specifications.
- Available with self-lubricating graphite bronze sheave bushing per ASTM B438.
- All accessories are forged.
- Blocks made with Santa Maria Hardwood, which has properties that are favorable for use in wood shell blocks.
- Dimensions shown represent current models and are subject to change.
- Blocks shown here are standard models.
- Custom models available upon request.

See our warnings & application instructions

SEALINK
Quality Rigging Products