







DEVILS CLAW CHAIN STOPPER WITH ABS CERTIFICATION




DEVILS CLAW
33 - 41MM (1-5/16" - 1-5/8")
44 LBS

DEVILS CLAW
46 - 60MM (1-11/16" - 2-3/8")
70 LBS




Dimensions in millimeters. Other sizes available upon request.

PAWL TYPE CHAIN STOPPER



NOMINAL NO.	NOMINAL DIA. OF ANCHOR CHAIN	DIMENSIONS (MM)				WEIGHT (KG.)
		A	B	C	D	
42	36-42	530	494	357	422	210
46	42-46	620	538	404	480	396
51	48-51	680	599	438	520	429
56	52-56	730	638	472	560	465
60	58-60	780	670	506	600	480
64	62-64	835	710	538	630	500
68	66-68	885	750	568	660	567
73	70-73	950	801	604	700	682
78	76-78	1015	852	641	750	818
84	81-84	1095	911	686	800	1030
90	87-90	1170	969	732	850	1220
95	92-95	1235	1021	768	900	1420
102	97, 100, 102	1350	1090	816	950	1830
107	105-107	1400	1148	857	1000	2130
114	111-114	1480	1207	902	1050	2410
122	117-122	1585	1280	956	1120	2900

PELICAN HOOK CHAIN STOPPER WITH ABS CERTIFICATION



CHAIN SIZE		A	B	C	D	E	F	G	PROOF LOAD	BREAK LOAD	WEIGHT
MM	In	MM	MM	MM	MM	MM	MM	MM	kN	kN	Lbs
19	3/4	176	19	32	266	16	137	25	291.3	388.3	13
22	7/8	193	22	35	337	16	178	31	377.6	509.9	21
25-32	1 - 1-1/4	219	29	41	446	19	260	39	690.4	931.6	41
32-38	1-1/4 - 1-1/2	270	38	48	490	22	267	44	888.5	1,198.9	50
35-41	1-3/8 - 1-5/8	270	38	48	490	22	267	51	941.6	1,271.1	59
41-51	1-5/8 - 2	313	38	54	565	25	305	62	1,057	1,426.9	95
54-60	2-1/8 - 2-3/8	375	41	57	680	32	394	65	1,122	1,514.6	172
64-70	2-1/2 - 2-3/4	410	48	70	780	35	457	79	1,567.2	2,119.3	216
76-83	3 - 3-1/4	454	51	76	860	38	502	95	1,816.5	2,715.9	280
86-89	3-3/8 - 3-1/2	495	64	86	927	41	514	98	2,190.5	3,312.5	357
89-95	3-1/2 - 3-3/4	568	73	108	997	44	533	114	3,137	4,746	440