



TURNBUCKLES


ACCORDING TO FEDERAL SPECIFICATION FF-T-79LB




EYE & EYE




HOOK & EYE



HOOK & EYE



JAW & EYE



JAW & JAW


DIAMETER (A) AND TAKEUP (B) INCHES	AVERAGE OVERALL LENGTH (C) IN CLOSED POSITION INCHES	WEIGHT POUNDS EACH		
		WITH EVE OR HOOKS	JAW AND EYE	JAW AND JAW
1/4 x 4	8-1/4	0.31	0.33	0.35
5/16 x 4-1/2	9-9/16	0.50	0.53	0.58
3/8 x 6	11-7/8	0.79	0.86	0.93
1/2 x 6	13-5/16	1.42	1.54	1.66
9	16-5/16	1.83	1.95	2.07
12	19-5/16	2.01	2.19	2.37
5/8 x 6	15-1/2	2.61	2.81	3.02
9	18-1/2	2.81	3.01	3.22
12	21-1/2	3.12	3.32	3.53
18	28-1/8	6.00	6.20	6.40
3/4 x 6	17-1/16	3.60	3.87	4.18
9	20-1/8	4.69	4.98	5.27
12	23-1/16	5.07	5.36	5.65
18	29-1/16	6.21	6.51	6.81
7/8 x 12	24-5/8	8.10	8.75	9.40
18	30-5/8	9.93	10.60	11.20
1 x 6	20-5/8	8.75	9.15	9.50
12	26-5/8	10.40	11.20	12.10
18	32-5/8	13.20	14.10	14.90
24	38-5/8	15.90	16.80	17.60
1-1/4 x 12	29-7/8	19.00	20.50	22.00
18	35-7/8	23.40	24.90	26.40
24	41-7/8	27.80	29.30	30.90
1-1/2 x 12	32-3/8	26.10	28.20	30.30
18	38-3/8	37.50	39.60	41.80
24	44-3/8	43.10	45.20	47.30
36	58-3/4	52.60	54.80	57.00
1-3/4 x 18	41-3/4	45.00	48.80	52.40
24	47-3/4	52.20	56.00	59.60
2 x 24	51-3/4	89.80	94.60	100.00
2-1/2 x 24	58-1/2	140.00	150.00	161.00
2-3/4 x 24	61-1/2	194.00	200.00	216.00

When Ordering Be Sure to Specify:
1st - Diameter of thread.
2nd - Length of take-up.
3rd - Self colored or galvanized.
4th - The type of end fittings desired.

Larger sizes available per request.
Lock nuts available per request.
Jaw end fittings sizes 1/4" through 5/8" have bolts and nuts.
Jaw end fittings sizes 3/4" through 2-3/4" have pins and cotters.
Large jaw sizes available with bolts and nuts upon special request.


TURNBUCKLES

HOOK




DIMENSIONS (INCHES)					RATED LOAD (LBS.)
A	B	C	D	E	
1/4	1-5/8	7/16	3/8	1/4	400
5/16	1-29/32	1/2	7/16	5/16	700
3/8	2-9/32	9/16	17/32	3/8	1000
1/2	2-27/32	21/32	11/16	1/2	1500
5/8	3-17/32	27/32	27/32	5/8	2250
3/4	4-5/16	31/32	1	3/4	3000
7/8	5	1-1/8	1-3/16	7/8	4000
1	5-11/16	1-1/4	1-3/8	1	5000
1-1/4	6-29/32	1-1/2	1-1/2	1-1/16	6500
1-1/2	8-11/16	1-7/8	1-3/4	1-5/16	7500

EYE



DIMENSIONS (INCHES)					RATED LOAD (LBS.)
A	B	C	D	E	
1/4	1-25/32	11/32	25/32	7/32	500
5/16	2-3/16	7/16	15/16	9/32	800
3/8	2-9/16	17/32	1-1/8	11/32	1200
1/2	3-7/32	23/32	1-7/16	7/16	2200
5/8	3-7/8	7/8	1-3/4	1/2	3500
3/4	4-11/16	1	2-1/8	5/8	5200
7/8	5-1/4	1-1/4	2-3/8	3/4	7200
1	6-3/8	1-7/16	3	7/8	10000
1-1/4	7-3/4	1-13/16	3-9/16	1-1/8	15200
1-1/2	8-5/8	2-1/8	4-1/8	1-1/4	21400
1-3/4	10	2-3/8	4-11/16	1-1/2	28000
2	12-1/8	2-11/16	5-3/4	1-3/4	37000
2-1/2	13-9/16	3-1/8	6-1/2	2	60000
2-3/4	15	3-1/4	7	2-1/4	75000

JAW



DIMENSIONS (INCHES)								RATED LOAD (LBS.)
A	B	C	D	E	F	G	H	
1/4	1-5/8	13/32	5/8	9/32	1/2	1/4	5/8	500
5-16	2	15/32	7/8	9/32	1/2	1/4	11/16	800
3/8	2-3/16	1/2	7/8	5/16	19/32	5/16	13/16	1200
1/2	2-3/4	5/8	1-1/16	13/32	3/4	3/8	1	2200
5/8	3-1/2	3/4	1-5/16	1/2	1-1/32	1/2	1-5/16	3500
3/4	4-1/8	15/16	1-1/2	9/16	1-9/32	5/8	1-5/8	5200
7/8	4-27/32	1-1/8	1-3/4	11/16	1-15/32	3/4	1-7/8	7200
1	5-17/32	1-3/16	2-1/16	25/32	1-21/32	7/8	2-1/8	10000
1-1/4	7-3/16	1-3/4	2-13/16	1	2-3/32	1-1/8	2-5/8	15200
1-1/2	7-7/8	2-1/16	2-13/16	1-1/16	2-15/32	1-3/8	3-1/8	21400
1-3/4	9-3/8	2-1/8	3-3/8	1-1/4	2-29/32	1-5/8	3-1/2	28000
2	10-7/8	2-1/2	3-11/16	1-9/16	3-17/32	2	4-3/16	37000
2-1/2	13-11/16	2-7/8	4-7/16	1-9/16	4-5/8	2-1/4	5-5/8	60000
2-3/4	15	3-1/2	4-3/16	1-5/8	5-3/8	2-3/4	6-1/2	75000